**GEBERIT** 

GEBERIT CONCEALED CISTERNS

# COVERT


DESIGN MEETS FUNCTION

# CONTENT

#### GEBERIT ACTUATOR PLATE OVERVIEW

actuators are the only part of the concealed cisterns that you see and touch several times a day. Find the applications and an





**GEBERIT SIGMA CISTERNS** Geberit Sigma cisterns are providing a lot of possibilities for high-class design in your

### What you see is what you get. The Geberit



INTRODUCTION TO THE GEBERIT

There is a long history behind the

out more about the background and

Geberit concealed cisterns. Find




### **GEBERIT OMEGA CISTERNS**

Geberit Omega cisterns offer solutions for low height applications.

#### GEBERIT ALPHA CISTERNS Geberit Alpha cisterns are the latest





OVERVIEW OF ALL CISTERNS



## All the available cisterns at one

The Geberit actuator plates not only come in a large variety of designs, but also for every application. Be it at home, in a semipublic place like a hospital, or in a public place with a high traffic like e.g. an airport: there is an actuator plate for every requirement.

GEBERIT ACTUATORS FOR EVERY APPLICATION

TRIGGER POINTS



### FEEL AT HOME

For the bathroom at home all options are available: there is a vast variety of designs to choose from, single flush, dual flush or stop-and-go flush. Even touchless solutions might be interesting, aspects of hygienic requirements are depending on your needs and bathroom covered.



### **SEMI-PUBLIC SOLUTIONS**

For hotels, restaurants or hospitals there If you run a public toilet at a train station, are a lot of touchless actuators available that even offer a dual flush system, helping you saving water. Of course all



#### HIGH-TRAFFIC PUBLIC PLACES

an airport or in a night-club, you go for the vandal-proof actuators made of stainless steel. The infra-red steered actuators that offer a single flush, cleaning automatically after every use, should also be in the centre of attention.





Product material: plastic white alpine



→ 115.770.21.5 Product material: plastic bright chrome-plated



Product material: plastic matt chrome-plated



→ 115.770.KA.5 Product material: plastic bright chrome/matt chrome



→ 115 770 DW 5 Product material: plasti jet black RAL 9005



Product material: plastic special brass (colour)

## Flush technology: stop-and-go flush

Outer dimensions: 246 mm x 164 mm





# SIGMA10



→ 115.758.KJ.5

Product material: plastic white/bright chrome/white



Product material: plastir white matt/bright chr/white matt \*\*\*



→ 115.758.KK.5 Product material: plastic white/gold-plated/white



→ 115.758.KL.5 Product material: plastic white/matt chrome/matt chrome



→ 115.758.KH.5 Product material: plastic bright chrome/matt chr/bright chr



→ 115.758.KN.5 Product material: plastic matt chrome/bright chr/matt chr



→ 115.758.KM.5 Product material: plastic black/bright chrome/black

black matt/bright chr/black matt\*\*\*



→ 115.906.SN.1 \* stainless steel brushed/pol/br



→ 115.758.14.5 **NEW** 

Product material: plastic

Product material: stainless steel stainless steel brushed/pol/br



Product material: stainless steel stainless steel brushed/pol/br

#### SIGMA10 IR · Flush technology: touchless, electronic

→ 115.907.KJ.1

→ 115.907.KK.1

→ 115 907 KI 1

Product material: plastic

white/gold-plated/white

Product material: plastic

white/bright chrome/white

Outer dimensions: 246 mm x 164 mm

· Flush technology: dual flush Outer dimensions: 246 mm x 164 mm



→ 115.882.KJ.1 Product material: plastic white/bright chrome/white



→ 115.882.JT.1 NEW Product material: plastic white matt/bright chr/white matt\*\*\*



Product material: plastic white/gold-plated/white



white/matt chrome/matt chrome

Product material: plastic

→ 115.907.KH.1 Product material: plastic bright chrome/matt chr/bright chi



→ 115 907 KN 1 Product material: plastic matt chrome/bright chr/matt chr



→ 115.907.KM.1 Product material: plastic black/bright chrome/black



→ 115.907.SN.1 Product material: stainless steel



Product material: stainless steel



→ 115.882.KI .1 Product material: plastic



→ 115.882.KH.1 Product material: plastic bright chrome/matt chr/bright chr



→ 115 882 KN 1 Product material: plastic matt chrome/bright chr/matt chr



→ 115.882.JQ.1 NEW Product material: plastic matt chrome/bright chr/matt chrome\*\*\*



→ 115.882.KM.1 Product material: plastic black/bright chrome/black



→ 115.882.14.1 NEW black matt/bright chr/black matt\*\*\*



Product material: stainless steel stainless steel brushed/pol/br → 115.889.SN.1 \* Product material: stainless steel stainless steel brushed/pol/br

 Flush technology: dual flush Outer dimensions: 246 mm x 164 mm



→ 115.884.SI.1 Product material: glass white









Product material: glass

Product material: slate slate

→ 115.884.00.1

# Product material: die-cast zinc customisable surface

→ 115.883.KN.1 Product material: plastic



matt chrome\*\*\*





· Flush technology: dual flush Outer dimensions: 246 mm x 164 mm



→ 115.883.KJ.1 Product material: plastic white/bright chrome/white



→ 115.883.KK.1

→ 115.883.KL.1

Product material: plastic

white/gold-plated/white





→ 115.893.45.1\*

gold-plated

Product material: die-cast zinc

→ 115.893.14.1\* NEW

Product material: die-cast zinc

black matt/bright chr/black matt\*\*\*

→ 115 893 KY1\* Product material: die-cast zinc bright chrome/chr brushed/bright chr



Product material: plastic bright chrome/matt chr/bright chr





→ 115.883.JQ.1 NEW Product material: plastic matt chrome/bright chr/



→ 115.883.KM.1 Product material: plastic black/bright chrome/black



→ 115.883.14.1 NEW Product material: plasti black matt/bright chr/black matt\*\*\*

 Flush technology: stop-and-go flush Outer dimensions: 246 mm x 164 mm



→ 115.893.KJ.1\* Product material: die-cast zind white/bright chrome/white





SIGMA50

→ 115.788.11.2

· Flush technology: dual flush

Outer dimensions: 246 mm x 164 mm

Product material: die-cast zinc, plastic







→ 115.788.GH.2 Product material: die-cast zinc, brass



→ 115.788.SD.2 Material: die-cast zinc, glass smoked glass reflective



→ 115.788.DW.2 Product material: die-cast zinc, PMMA jet black RAL 9005



Product material: die-cast zinc mustang slate



→ 115.788.00.2 Product material: die-cast zinc, PMMA

- · Flush technology: dual flush Outer dimensions: 221 mm x 139 mm
- Flush technology: dual flush, hydrolifter
   Flush technology: dual flush, Outer dimensions: 240 mm x 158 mm Soft-touch

For Sigma concealed cistern 12 cm → 115.620.SI.1 For Sigma concealed cistern 8 cm

→ 115.625.SI.1

white glass

→ 115.625.FW.1

Product material: glass



Product material: die-cast zinc, glass

Product material: die-cast zinc, glass

Product material: die-cast zinc, glass

· Even with the surface

→ 115.640.SI.1

→ 115.640.SQ.1

umber glass

black glass

Product material: die-cast zinc brushed chrome

> For Sigma concealed cistern 12 cm → 115.620.FW.1 For Sigma concealed cistern 8 cm

Product material: stainless steel brushed chrome



For Sigma concealed cistern 8 cm → 115.625.SQ.1

Product material: glass umber glass



→ 115.620.SJ.1 For Sigma concealed cistern 8 cm → 115.625.SJ.1

Product material: glass black glass



→ 115.620.00.1

Learn more about the Geberit product range and visit our


actuator plate configurator at

→ www.international.geberit.com

For Sigma concealed cistern 8 cm → 115.625.00.1 customisable surface

For Sigma concealed cistern 12 cm

- touchless, electronic Outer dimensions: 247 mm x 164 mm



For Sigma concealed cistern 12 cm → 116.090.SG.1 For Sigma concealed cistern 8 cm

Product material: glass black glass

→ 116.092.SG.1



Product material: glass

For Sigma concealed cistern 8 cm → 116.092.SM.1

reflective glass

→ 115.085.KN.1

→ 115.085.KH.1

Product material: plastic

bright chr/matt chr/bright chr

OMEGA20

00

→ 115.085.KJ.1

→ 115.085.KK.1

00

→ 115.085.KI .1

Product material: plastic

white/matt chrome/matt chrome

Product material: plastic

white/gold-plated/white

Product material: plastic

white/bright chrome/white

· Flush technology: dual flush

Outer dimensions: 212 mm x 142 mm

Product material: plastic matt chr/bright chr/matt chr

→ 115.085.KM.1 Product material: plastic black/bright chrome/black

#### OMEGA30 · Flush technology: dual flush

→ 115.080.KJ.1

→ 115.080.KK.1

→ 115.080.KL.1

→ 115.080.KH.1

→ 115.080.KN.1

→ 115.080.KM.1

Product material: plastic

black/bright chrome/black

Product material: plastic

matt chrome/bright chr/matt chr

Product material: plastic

bright chr/matt chr/bright chr

Product material: plastic

white/matt chrome/matt chrome

Product material: plastic

white/gold-plated/white

Product material: plastic

white/bright chrome/white

· Flush technology: dual flush Outer dimensions: 212 mm x 142 mm Outer dimensions: 184 mm x 114 mm

→ 115.081.SI.1

→ 115.081.GH.1

brushed chrome

→ 115.081.SQ.1

umber glass

→ 115.081.SJ.1

black glass


white glass

Product material: die-cast zinc, glass

Product material: die-cast zinc

Product material: die-cast zinc, glass

Product material: die-cast zinc, glass



→ 115.035.11.1

ALPHA01



Product material: plastic

→ 115.035.21.1 Product material: plastic bright chrome



Product material: plastic

matt chrome

ALPHA10

→ 115.040.11.1





→ 115.040.21.1 Product material: plastic



Product material: plastic

matt chrome



→ 115.060.DW.1 Product material: plastic jet black RAL 9005

**OPTIONS WITH GEBERIT ACTUATORS:** 

	front actuation	top actuation	touchless actuat	soft-touch actua	customised surf	dual flush	stop-and-go flus	metal	glass	plastic	matt colours	vandal-resistant	illuminated butto	odour extraction	easy-to-clean co
Geberit Sigma actuators	×		×	×	×	×	×	×	×	×	×	×	×	×	×
Geberit Omega actuators	×	×				×		×	×	×					
Geberit Alpha actuators	×					×				×					

\* vandal-resistant, screwable

\*\*\*easy-to-clean coated

· Flush technology: dual flush Outer dimensions: 213 mm x 142 mm

ALPHA15

→ 115.045.11.1 Product material: plastic















white alpine







matt chrome

## ALPHA50

→ 115.060.11.1 Product material: plastic




\*\* vandal-resistant, with electronic dual flush and manual override









### GEBERIT CONCEALED SOLUTIONS

# THE TRADITION OF HIDING CISTERNS

In solid and drywall construction, the Geberit concealed cistern is the heart of more than 60 million concealed installations in the bathroom or WC. Every detail of this product is ingenious and has been proven a million times over. Plumbers and endusers have trusted polyethylene cisterns from Geberit for more than 50 years.



#### BEAUTIFUL DESIGN

The actuator plates are the eye-catchers in your bathroom. A concealed solution with a wall-hung WC offers a lot of design options for your bathroom.



#### WITHSTANDING HEAVY LOAD

The Geberit wall-hung solutions are designed and tested to withstand weights of 400 kg.



#### SAVING WATER

The water consumption can be sustainably reduced with a Geberit dual flush actuation for the WC. The smaller button flushes with 3 litres, the bigger one with 6 litres and is easily reduced to 4.5 litres.



#### OPENING SPACE

As soon as the sanitary technology hides behind the wall, a new feeling of space is created. A wall-hung solution makes your bathroom look bigger.



#### EASY TO CLEAN

The fewer edges, joints and corners, the simpler to clean and more hygienic. Particularly in the WC area, it is better when ceramic appliances are wall-mounted to keep the floor space open.



#### PREMIUM QUALITY

All products from Geberit are known for their very high reliability and durability. This not only ensures safe and trouble-free function, but also reduces maintenance costs. Proven Swiss technology for decades.

#### **EVENTFUL HISTORY, CONSTANT INNOVATION.**


Since 1964 Geberit has been working on product improvements and has constantly developed the quality and functionality of the cisterns. Not only has the product itself moved on, but so too have the product benefits.



Introducing the first concealed cistern in 1964



T
Current state of modern technology



### **GEBERIT SIGMA CISTERNS**

# TOUCHING **DESIGN**

#### STYLISH CALLING CARDS

The Geberit Sigma concealed cisterns not only offer numerous installation possibilities, but also the widest range of stylish actuator plates. Be it for single flush, dual flush or stop-and-go flush, mechanical, pneumatic, hydraulic or touchless actuation.



Sigma21



Sigma70





#### **FUNCTIONAL BEAUTY**

With Geberit Sigma cisterns not only style moves into your bathroom, but also functionality. With a prewall construction you gain space for cosmetics or other bathroom items. Another possibility to give your bathroom a personal touch.



### GEBERIT SIGMA SPECIAL SOLUTIONS

# SPECIAL TREAT FOR YOUR TOILET

Sometimes the design of your bathroom creates a special request for the installation of the toilet. The Geberit Duofix installation elements offer solutions to almost any unusual construction situation.



111.350.00.5
Geberit Duofix element for a barrier-free solution. The frame-width is reduced for the placement of support handles next to the element.



111.790.00.1 Geberit Duofix element with mounting plate for support handles.



The Geberit DuoFresh module can be easily installed in every Geberit Sigma cistern and can be combined with almost any actuator plate from the Sigma range.



Another special feature of the Geberit concealed cisterns is the tool-free maintenance.

#### **OPTIONS WITH GEBERIT SIGMA CONCEALED CISTERNS:**

	for solid wall	for drywall	GIS compatible	barrier-free solution	front actuation	top actuation	low-height	tool-free maintenace	odour extraction	AquaClean connection
Geberit Sigma	×	×	×	×	×			×	×	×
Geberit Omega	×	×	×		×	×	×	×		×
Geberit Alpha	×	×			×					



### **GEBERIT OMEGA CISTERNS**

# SMALL AND **POWERFUL**



#### FREEDOM OF PLACE

If you want to have a clean front view, Geberit Omega is offering the solution. Geberit Omega cisterns can be activated from the top. This adds to the various design options with Geberit concealed cisterns.

#### **SMALL ACTUATORS**

The service opening of the Geberit Omega cistern has a size of 180 mm x 110 mm which allows the installation of small, elegant actuator plates: Omega20, Omega30 and the surface-even Omega60.





### GEBERIT OMEGA CISTERNS FOR LOW HEIGHTS

# SOLUTION PROVIDER IN NARROW SPOTS

Geberit Omega opens up unexpected opportunities when it comes to the design of your bathroom. Having the freedom of choice to install a top or a front actuation, there are no borders anymore to your creativity in bathroom design and the implementation of your ideas.





#### THREE CISTERN HEIGHTS

The Geberit Omega concealed cistern can be installed at a height of 82 cm, 98 cm and 112 cm. No matter what installation height: the flush performance is outstanding. All the Omega cisterns come with a water-saving dual flush system.

#### FIT FOR ALMOST EVERY PREWALL

With a minimum depth of 12 to 14 cm for the front actuation (depending on the chosen element) and a minimum depth of 17 cm for the top actuation, the Geberit Omega concealed cistern fits into nearly any prewall. It can be connected to the water supply from the rear as well as from the side. Installing the cistern and mounting the actuator plate can both be completed without special tools.



#### **TOP OR FRONT - THAT IS THE QUESTION**

Depending on the construction situation, the actuator plate can be installed on the top or front of the cistern. Whatever your bathroom looks like, you have the choice. The Omega cisterns are designed in such a way that both options can be chosen freely.

#### TOOL-FREE MAINTENANCE

The Geberit Omega cisterns can be serviced without tools. This makes maintenance as easy as pie.

#### **OPTIONS WITH GEBERIT OMEGA CONCEALED CISTERNS:**


	for solid wall	for drywall	GIS compatible	barrier-free solution	front actuation	top actuation	low-height	tool-free maintenace	odour extraction	AquaClean connection
Geberit Sigma	×	×	×	×	×			×	×	×
Geberit Omega	×	×	×		×	×	×	×		×
Geberit Alpha	×	×			×					

### GEBERIT ALPHA CISTERNS

# STRIKING SIMPLICITY


Geberit Alpha concealed cisterns are offering a slightly reduced scope of options but are nonetheless standing for high quality and reliability. The cisterns can be installed in either brick walls or drywalls. For standard bathroom requirements the perfect match.

Geberit Alpha actuator plates come in five designs in four different finishes. They are all made of high quality plastic.



#### **OPTIONS WITH GEBERIT ALPHA CONCEALED CISTERNS:**

	for solid wall	for drywall	GIS compatible	barrier-free solution	front actuation	top actuation	low-height	tool-free maintenace	odour extraction	AquaClean connection
Geberit Sigma	×	×	×	×	×			×	×	×
Geberit Omega	×	×	×		×	×	×	×		×
Geberit Alpha										



### CONCEALED CISTERNS OVERVIEW

# AT ONE GLANCE

#### Geberit concealed cisterns

- Available in various dimensions and suitable for any construction situation.
- All models are equipped with a high-end flush valve and a top silent fill valve, exceeding Sound Class 1 requirements.
- Easy maintenance at any time through a service opening.
- Exceptional spare part security for all functionmaintaining components for 25 years.



# AT ONE GLANCE

	GEBERIT SIGMA							GEBERIT OMEGA									GEBERIT ALPHA		
	S GESEATT		II GESERIT		a GENERIT	II CLEARLY	A CONTRACT OF THE PARTY OF THE	R GESSATT	ROSERT	BOCKERT	a otestari	ROFEST	ECHANT TO SERVICE AND SERVICE		THE PARTY OF THE P		THE	NO COMMIT	
Article number	109.300.00.5	109.791.00.1	110.350.00.5 110.340.00.5 *	110.792.00.1	111.300.00.5	111.796.00.1	111.350.00.5	109.043.00.1	109.050.00.1	109.060.00.1	110.001.00.1	110.011.00.1	110.020.00.1	111.003.00.1	111.030.00.1	111.060.00.1	110.175.00.1 110.174.00.1*	458.176.00.1	Article number
Cistern thickness***	12 cm	8 cm	12 cm	8 cm	12 cm	8 cm	17 cm	12 cm	12 cm	12 cm	12 cm	12 cm	12 cm	12 cm	12 cm	12 cm	8 cm	8 cm	Cistern thickness ***
Cistern height	108 cm	119 cm **	108 cm	109 cm	112 cm	114 cm	112 cm	82 cm	98 cm	106 cm	82 cm	98 cm	106 cm	82 cm	98 cm	112 cm	109 cm	114 cm	Cistern height
For solid construction	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	For solid construction
For drywall construction					×	×	×							×	×	×		×	For drywall construction
Wall-hung-ready (fixation for wall-hung ceramic included)			×	×	×	×	×				×	×	×	×	×	×	×	×	Wall-hung-ready (fixation for wall-hung ceramic included)
For top actuation								×	×		×	×		×	×				For top actuation
With conduit pipe for Geberit AquaClean			×	×	×	×	×				×	×	×	×	×	×			With conduit pipe for Geberit AquaClean
Tool-free maintenance	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×			Tool-free maintenance
Barrier-free solution							×												Barrier-free solution
Dimensions	84 <sup>5</sup>	110 615 67-82	100 -42 -76 108	777	100 100 1112	50 100 V	100 23-28 0 0-20	41 <sup>6</sup> 39 <sup>5</sup> 33 <sup>5</sup> 37 <sup>5</sup> 39 <sup>5</sup>	44 395 406	44 112 395 575	42 — 51 — 51 — 82 — 22 — 42 — 42 — 42 — 42 — 42 — 42	42 — 42 — 66 — 98	76 106	50 50 82 0 0-20	50 50 98 0 0-20	23 0 0 0-20	76 108	100 R 1/2 18/23 18/23 0 0-20	Dimensions

<sup>\*</sup> With leg supports


<sup>\*\*</sup> Can be cut to length, up to 13 cm

 $<sup>\</sup>hbox{\ensuremath{}^{***} Cistern thickness does not equal installation depth. Depending on the installation the depth is varying.} \\$ 

Whether it be under windows or sloping roofs, in a corner or on a free-standing wall, systems and products from Geberit give you practically unlimited possibilities.


Installations behind the wall lend elegance and increased space; part-height prewall installations offer additional storage possibilities.


#### **SOLID WALL INSTALLATION**




Geberit Kombifix installation elements are exclusively suitable for solid construction. They must be fastened in front of or inside a solid wall and then subsequently brick lined.

#### DRYWALL INSTALLATION





Geberit Duofix installation elements are suitable for all drywall construction situations with a drywall system. It is possible to create complete room-height prewalls or partition walls.



12 CM CISTERN-THICKNESS

In the wall or in front of the wall. Flushing actuation from the front. Choose either a Sigma 12 cm cistern, an Omega cistern or an Alpha cistern with the included brackets.

#### 8 CM CISTERN-THICKNESS

Solution for thin wall constructions or for pace-saving installation in front of the wall, flush actuation from the front. Choose either a Sigma or an Alpha cistern.

← LOW-HEIGHT SITUATIONS

Solution for low-height installation with element heights 82 / 98 cm. Choose an Omega cistern.

Geberit International Sales AG CH-8640 Rapperswil Switzerland

sales@geberit.com

www. international. geber it. com

