GEBERIT

# GEBERIT PRODUCT PORTFOLIO WE MANAGE WATERFLOWS


DESIGN MEETS FUNCTION

#### 1905 Albert Emil

Gebert succeeds

start the production of wooden flushing

cisterns



Gebert

# EVENTFUL HISTORY

----


Since the day it all began in 1874 in Switzerland, we have been defined by our experiences. Geberit has been among the pioneers of the industry and is still setting trends with comprehensive system solutions. With more than 12,000 employees in over 40 countries, Geberit stands for innovation, durability and ecological efficiency.

# METALL

# FROM BEGINNING **TO END**

#### **GEBERIT SYSTEMS FOR THE WHOLE BUILDING**

Geberit systems deliver solutions for water supply, use, flushing and drainage.



#### **ALL INCLUSIVE**

Geberit has got more to offer than only products. Through constant research and development Geberit makes sure that their technology and design not only meets the standards but is state-of-the art.

Besides the product range, Geberit offers a lot more services:





SANITARY SYSTEMS

0









TECHNICAL SUPPORT



#### 1 SUPPLY

Geberit supply systems are easy to install, have high pressure and temperature resistance and low noise transmission.

#### 2 USE

Geberit owns several ceramic brands that meet all the requirements regarding design, longevity and hygiene. Geberit sanitary systems have continually set trends for more than 125 years.



Geberit waste water drainage systems meet all the expectations regarding an easy installation, reliability, capacity and soundproofing properties.

#### **4 ROOF DRAINAGE**

Geberit roof drainage systems cover solutions for domestic, industrial and commercial applications.



PIPING SYSTEMS



TRAININGS



AFTER SALES SERVICE

3

# DESIGN MEETS FUNCTION

Sophisticated systems and Self-supporting mounting objects deliver safety and

4



**GEBERIT SHOWER DRAIN** Smoothly integrated in the floor or the wall: the Geberit shower drains add a lot to the moderr look of a bathroom.



GEBERIT ACTUATOR PLATES A wide range of actuator plates provides designs for every taste and for every surrounding: in private, semi-public or public bathrooms.



GEBERIT FURNITURE

Be it a mirror, a shelf or a cabine Geberit offers a lot of beautiful designs for bahtroom furniture. All made from water-resistant



GEBERIT FLOOR DRAINS The Geberit floor drain is more compact than many conventional floor drains. However, this does not affect its attractive appearance or

**GEBERIT AQUACLEAN** The toilet that cleans you with water. But the Geberit AquaClean offers a lot more than just a shower function.

DESIGN FUNCTION

Washbasins, toilet ceramics, bidets, urinals: everything available with Geberit. The whole bathroom appliances from one

# KNOW-HOW INSTALLED

The piping systems of Geberit stand for know-how in the field of sanitary technology. From supply systems for residential, industry and public buildings, to drainage systems for roofs and buildings, Geberit provides a huge range of products and stateof-the-art technological solutions in the area of hydraulics, fire protection, sound insulation, reliability and environmental properties.



GEBERIT MEPLA

The flexible multi-layer pipes are really easy to install and to be used for drinking water installations and for radiator connections.



#### GEBERIT PREWALL INSTALLATION

The Prewall Installation can be prefabricated to develop customised solutions for almost any construction project in front of the wall. Furthermore, the installation keeps the sound away from the walls.



## Im

GEBERIT

**(**)

15.2

**GEBERIT MAPRESS** This metal piping system that comes in several different compositions is made for all sorts of supply installations: for domestic but also industrial applications.


Parla Tra



CONCEALED CISTERNS

10





GEBERIT AQUACLEAN

24





13 ACTUATOR PLATES







SHOWER DRAINS







GEBERIT BATHROOM COLLECTION







WATER SUPPLY SYSTEMS



# GEBERIT CONCEALED SOLUTIONS THE TRADITION OF HIDING CISTERNS

The Geberit concealed cistern is the heart of more than 70 million concealed installations in the bathroom. Every detail of this product is ingenious and has been proven a million times over. Plumbers and end users have trusted polyethylene cisterns from Geberit for more than 55 years.



#### BEAUTIFUL DESIGN

The actuator plates are the eye-catchers in your bathroom. A concealed solution with a wall-hung WC offers a lot of design options for your bathroom.



#### INNOVATIVE AND FUNCTIONAL DESIGN

Some of the actuator plates are available in an easyto-clean coated option, some in a vandal-proof, screwable version and some can be combined with an odour extraction unit.



#### WITHSTANDING HEAVY LOAD

The Geberit wall-hung solutions are designed and tested to withstand weights of 400 kg.



#### The water consumption can be sustainably reduced with a Geberit dual flush actuation for the WC. The smaller button flushes with 3 litres, the bigger one with 6 litres and is easily reduced to 4.5 litres.



OPENING SPACE

As soon as the sanitary technology hides behind the wall, a new feeling of space is created. A wall-hung solution makes your bathroom look bigger.



#### EASY TO CLEAN

The fewer edges, joints and corners, the simpler to clean and more hygienic. Particularly in the WC area, it is better when ceramic appliances are wall-mounted to keep the floor space open.



 $\star \star \star$ 

\*\*

#### TOOL-FREE MAINTENANCE

To maintain the actuator plates and the cisterns you do not need tools.

#### PREMIUM QUALITY

All products from Geberit are known for their very high reliability and durability. This not only ensures safe and trouble-free function, but also reduces maintenance costs. Proven Swiss technology for decades. **EVENTFUL HISTORY, CONSTANT INNOVATION.** Since 1964 Geberit has been working on product improvements and has constantly developed the quality and functionality of the cisterns. Not only has the product itself moved on, but so too have the product benefits.



↑

Introducing the first concealed cistern in 1964



↑ Current state of modern technology

#### GEBERIT SIGMA CONCEALED CISTERNS

## GEBERIT SIGMA ACTUATOR PLATES


#### Sigma Duofix

Thickness: 120mm Height: 1,135mm

→ 224.214.00.1 6/3L (HK Project) → 224.217.00.1 6/3L → 224.224.00.1 4.5/3L

Thickness: 120mm Height: 1,170mm

→ 224.229.00.1 4.5/3L (ID)



Flush technology: dual flush, infrared

Sigma80






→ 116.090.SG.1 Plate: Black glass Material: Glass

 $\rightarrow$  116.090.SM.1 Plate: Reflective glass Material: Glass

\* Installation set required -→ Art no: 115.861.00.1 Extension cable -→ Art no: 241.831.00.1

Sigma70

Flush technology: dual flush







 $\rightarrow$  115.620.FW.1 Plate: Stainless steel brushed Plate: White glass Material: Stainless steel

→ 115.620.SI.1 Material: Glass

132

 $\rightarrow$  115.620.SJ.1 Plate: Black glass Material: Glass



 $\rightarrow$  115.620.00.1 Plate: Customisable

#### Sigma60

Flush technology: dual flush



Buttons: Brushed chrome,

easy-to-clean coated

Frame: Bright chrome

Stripes: Bright chrome Material: Die-cast zinc

 $\rightarrow$  115.640.GH.1



- 214



 $\rightarrow$  115.640.SI.1 Buttons: White glass Frame: Bright chrome Stripes: Mirrored Material: Glass, Die-cast zinc

→115.640.SJ.1 Buttons: Black glass Frame: Bright chrome Stripes: Mirrored


\* Installation set required -→ Art no: 243.168.00.1



#### Sigma Concealed Cistern

Thickness: 120mm Height: 1,080mm

→ 224.320.00.1 6/3L (HK Project) → 224.326.00.1 4.5/3L












Plate: Sand grey glass Material: Glass





Material: Glass

→115.640.JK.1 Buttons: Lava glass Frame: Bright chrome Stripes: Mirrored Material: Glass, Die-cast zinc Material: Glass, Die-cast zinc



→115.640.JL.1 Buttons: Sand grey glass Frame: Bright chrome Stripes: Mirrored Material: Glass, Die-cast zinc

#### GEBERIT SIGMA ACTUATOR PLATES

. 164

**◄** 24<sup>6</sup> **→** 

→ 115.671.11.2

→ 115.671.DW.2

→115.671.JM.2

→ 115.671.JV.2

Plate: Concrete

→ 115.671.JX.2

Plate: Black walnut

Buttons: Black chrome,

Easy-to-clean coated

Material: Die-cast zinc. Wood

Buttons: Black chrome,

Fasy-to-clean coated

Material: Die-cast zinc, Concrete Material: Die-cast zinc, Concrete Material: Die-cast zinc, Concrete

Plate: Mustang slate

Buttons: Black chrome,

Material: Die-cast zinc. Slate

Easy-to-clean coated

Buttons: Black chrome,

Easy-to-clean coated

Material: Die-cast zinc, Plastic

Plate: Black

Buttons: Black chrome,

Easy-to-clean coated


Material: Die-cast zinc, Plastic

Plate: White

Flush technology: dual flush

Sigma50





Material: Die-cast zinc

Summer Street

**→ 115.670.11.2** 

Buttons: Red gold

→ 115.670.DW.2

Buttons: Red gold,

→ 115.670.JM.2

Plate: Mustang slate

Easy-to-clean coated

Material: Die-cast zinc. Slate

Buttons: Red gold,

→ 115.670.JV.2

Plate: Concrete

Buttons: Red gold,

→ 115.670.JX.2

Plate: Black walnut

Buttons: Red gold,

Easy-to-clean coated

Material: Die-cast zinc. Wood

Fasy-to-clean coated

Easy-to-clean coated

Material: Die-cast zinc, Plastic

Plate: Black

Easy-to-clean coated

Material: Die-cast zinc, Plastic

Plate: White

→ 115.671.00.2 Plate: Customisable Buttons: Black chrome, Easy-to-clean coated Material: Die-cast zinc

→ 115.672.00.2 Plate: Customisable Buttons: Brass. Easy-to-clean coated Material: Die-cast zinc

Statement of Concession, Name

**→ 115.672.11.2** 

Buttons: Brass.

→ 115.672.DW.2

Plate: Black

Buttons: Brass.

→ 115.672.JM.2

Buttons: Brass.

→ 115.672.JV.2

Plate: Concrete

Buttons: Brass,

→ 115.672.JX.2

Buttons: Brass.

Plate: Black walnut

Easy-to-clean coated

Material: Die-cast zinc. Wood

Fasy-to-clean coated

Plate: Mustang slate

Easy-to-clean coated

Material: Die-cast zinc, Slate

Easy-to-clean coated

Material: Die-cast zinc, Plastic

Easy-to-clean coated

Material: Die-cast zinc, Plastic

Plate: White



→ 115.788.00.2 Plate: Customisable Buttons: Chrome. Easy-to-clean coated Material: Die-cast zinc

→ 115.788.11.2

Buttons: Chrome.

→ 115.788.DW.2

Buttons: Chrome,

→ 115.788.JM.2

Buttons: Chrome.

→ 115.788.JV.2

Plate: Concrete

Buttons: Chrome,

→115.788.JX.2

Buttons: Chrome,

Plate: Black walnut

Easy-to-clean coated

Fasy-to-clean coated

Plate: Mustang slate

Easy-to-clean coated

Material: Die-cast zinc. Slate

Plate: Jet black RAL 9005

Material: Die-cast zinc, Plastic

Easy-to-clean coated

Plate: White alpine

Easy-to-clean coated

Material: Die-cast zinc, Plastic



Plate: Brushed chrome Buttons: Chrome, Easy-to-clean coated Material: Die-cast zinc. Brass



Plate: Bright chrome Buttons: Chrome, Fasy-to-clean coated Material: Die-cast zinc, Brass



→ 115.788.SD.2 Plate: Smoked glass reflective Buttons: Chrome, Easy-to-clean coated Material: Die-cast zinc. Glass



→115.788.JK.2 Plate: Lava glass Buttons: Chrome, Easy-to-clean coated Material: Die-cast zinc, Glass



→115.788.JL.2 Plate: Sand grey glass Buttons: Chrome, Fasy-to-clean coated



Plate: Sand glass Buttons: Chrome, Material: Die-cast zinc. Wood

Sigma30

→ 115.883.11.1

Material: Plastic,

Sigma20

Flush technology dual flush

→ 115.882.01.1

Material: Plastic

 $\rightarrow$  115 882 11 1

Ring: Matt white Material: Plastic,

→ 115.882.14.1

Material: Plastic

Ring: Bright chrome

Easy-to-clean coated

Plate & Buttons: Matt black

Plate & Buttons: White

Easy-to-clean coated


Easy-to-clean coated

Rina: White

Plate & Buttons: Matt white

Stripes: Matt white

Flush technology: dual flush



→ 115.883.16.1

Material: Plastic,

Easy-to-clean coated

Stripes: Black

Plate & Buttons: Matt black

→ 115.883.01.1 Plate & Buttons: Matt white Stripes: White Material: Plastic Easy-to-clean coated



→ 115.883.DW.1 Plate & Buttons: White Plate & Buttons: Black Stripes: Matt Black Material: Plastic, Fasy-to-clean coated Fasy-to-clean coated



 $\rightarrow$  115 883 14 1 Plate & Buttons: Matt black Stripes: Bright chrome Material: Plastic, Easy-to-clean coated



Material: Plastic, Easy-to-clean coated

**◄**—24<sup>6</sup> —▶



→ 115.882.16.1 Plate & Buttons: Matt black Ring: Black Material: Plastic. Easy-to-clean coated

→ 115.882.DW.1

Ring: Matt black

Material: Plastic,

→ 115.882.JQ.1

Material: Plastic.

Ring: Bright chrome

Easy-to-clean coated

Plate & Buttons: Matt chrome

Easy-to-clean coated

Plate & Buttons: Black



→ 115.882.KH.1 Ring: Matt chrome



→ 115.882.KJ.1 Plate & Buttons: White Ring: Bright chrome Material: Plastic



Easy-to-clean coated Material: Die-cast zinc, Glass

Rina: Bright chrome Material: Plastic. Easy-to-clean coated





→ 115.883.JT.1 Plate & Buttons: Matt white Stripes: Bright chrome Material: Plastic, Easy-to-clean coated



→ 115.883.KN.1 Plate & Buttons: Matt chrome Stripes: Bright chrome Material: Plastic



 $\rightarrow$  115 883 K.I 1 Plate & Buttons: White Stripes: Bright chrome Material: Plastic



→ 115.883.KK.1 Plate & Buttons: White Stripes: Gold Material: Plastic



→ 115.883.KL.1 Plate: White Buttons: Matt chrome Stripes: Matt chrome Material: Plastic



→ 115 883 KM 1 Plate & Buttons: Black Stripes: Bright chrome Material: Plastic



→ 115.883.KH.1 Plate & Buttons: Bright chrome Stripes: Matt chrome Material: Plastic



→ 115.882.JT.1 Plate & Buttons: Matt white



Plate & Buttons: Bright chrome Material: Plastic





→ 115.882.KK.1 Plate & Buttons: White Rina: Gold Material: Plastic



→ 115.882.KL.1 Plate: White Buttons: Matt chrome Ring: Matt chrome Material: Plastic



→ 115.882.KM.1 Plate & Buttons: Black Ring: Bright chrome Material: Plastic



→ 115.882.KN.1 Plate & Buttons: Matt chrome Rina: Bright chrome Material: Plastic



→ 115.882.SN.1 Plate & Buttons: Stainless steel brushed **Ring: Polished** Material: Stainless steel brushed, Easy-to-clean coated



→ 115.889.SN.1 (lockable) Plate & Buttons: Stainless steel brushed **Ring: Polished** Material: Stainless steel brushed, Easy-to-clean coated

#### Sigma21

Flush technology: dual flush

→ 115.650.JM.1

Ring: Red gold

→ 115.650.JV.1

Ring: Red gold

→115.650.JX.1

Ring: Red gold

→ 115.650.SI.1

Ring: Red gold

 $\rightarrow$  115 650 S.I 1 Plate & Buttons: Black

Ring: Red gold

→ 115.884.JK.1

Ring: Bright chrome

Material: Die-cast zinc,

Plate & Buttons: Lava glass

Glass

Glass

16

Material: Die-cast zinc,

Glass

Plate & Buttons: White

Material: Die-cast zinc,

Wood

Plate & Buttons: Black walnut

Material: Die-cast zinc.

Concrete

Plate & Buttons: Concrete

Material: Die-cast zinc,

Slate

Plate & Buttons: Mustang slate

Material: Die-cast zinc,



- 246 -



 $\rightarrow$  115.650.00.1 Plate & Buttons: Customisable Ring: Red gold Material: Die-cast zinc



→ 115.651.JM.1

**Ring: Black chrome** 

→ 115.651.JV.1

→ 115.651.JX.1

→ 115.651.SI.1

Wood

Glass

Ring: Black chrome

Material: Die-cast zinc.

Plate & Buttons: Black walnut

Concrete

Ring: Black chrome

Material: Die-cast zinc,

Plate & Buttons: Concrete

Slate

Material: Die-cast zinc,

Plate & Buttons: Mustang slate

 $\rightarrow$  115.651.00.1 Plate & Buttons: Customisable Ring: Black chrome Material: Die-cast zinc



→ 115.652.00.1 Plate & Buttons: Customisable Ring: Brass Material: Die-cast zinc

→ 115.652.JM.1

→ 115.652.JV.1

Ring: Brass

Concrete

Plate & Buttons: Concrete

Material: Die-cast zinc,

Ring: Brass

Slate

Plate & Buttons: Mustang slate

Material: Die-cast zinc,



→ 115.884.00.1 Plate & Buttons: Customisable Ring: Bright chrome Material: Die-cast zinc



→ 115.884.JM.1 Plate & Buttons: Mustang slate Ring: Bright chrome Material: Die-cast zinc, Slate



→115.884.JV.1 Plate & Buttons: Concrete Ring: Bright chrome Material: Die-cast zinc, Concrete

→115.884.JX.1

→ 115.884.SI.1

Plate & Buttons: White

Material: Die-cast zinc.

Ring: Bright chrome

Wood

Glass

Ring: Bright chrome

Material: Die-cast zinc.



→ 115.761.00.4 Plate & Buttons: Black walnut Ring: Bright chrome Material: Die-cast zinc,



→ 115.761.00.5 Ring: Bright chrome Material: Die-cast zinc.





→ 115.761.00.1

Plate & Buttons: Coral orange Ring: Bright chrome Material: Die-cast zinc. Decorative laminate



→ 115.761.00.2 Plate & Buttons: Abyss blue Rina: Briaht chrome Material: Die-cast zinc, Decorative laminate



→ 115.761.00.3 Plate & Buttons: Coral pink Ring: Bright chrome Material: Die-cast zinc, Decorative laminate

Plate & Buttons: Camel

Decorative laminate



Plate & Buttons: Beige Decorative laminate



→ 115.761.00.6 Plate & Buttons: Grey linen Ring: Bright chrome Material: Die-cast zinc, Decorative laminate



#### Plate & Buttons: Rouge leather Plate & Buttons: Dark Rock Material: Die-cast zinc. Decorative laminate

#### Sigma10

Flush technology: dual flush, infrared



→ 115.907.KH.1 (mains) → 115.908.KH.1 (battery) Plate: Bright chrome Ring: Matt chrome Material: Plastic



→ 115.907.KJ.1 (mains) → 115.908.KJ.1 (battery) Plate: White Ring: Bright chrome Material: Plastic

# **◄** 24<sup>6</sup> **→** 164







→ 115.907.KL.1 (mains) → 115.908.KL.1 (battery) Plate: White Ring: Matt chrome Material: Plastic

→ 115.907.KN.1 (mains) → 115.908.KN.1 (battery) Plate: Matt chrome

Plate: Black

#### Sigma01

Flush technology: dual flush



→ 115.770.11.5 Plate: White alpine Buttons: White alpine Material: Plastic





Material: Plastic



Plate: Special brass galvanised Buttons: Special brass galvanised Buttons: Matt chrome Material: Plastic























→ 115.652.JX.1

Ring: Brass

Plate & Buttons: Black walnut

Material: Die-cast zinc.

→ 115.652.SI.1 Plate & Buttons: White Plate & Buttons: White Ring: Black chrome Ring: Brass Material: Die-cast zinc. Material: Die-cast zinc. Glass



→ 115.652.SJ.1 Plate & Buttons: Black Ring: Brass Material: Die-cast zinc, Glass



→ 115.884.JL.1 Rina: Bright chrome Material: Die-cast zinc, Glass





→ 115.884.TG.1 Plate & Buttons: Sand grey glass Plate & Buttons: Sand glass Rina: Briaht chrome Material: Die-cast zinc, Glass



→ 115.884.SJ.1 Plate: Black Ring: Bright chrome Material: Die-cast zinc, Glass

→ 115.761.00.I

Ring: Bright chrome

Material: Die-cast zinc,

Decorative laminate





→ 115.761.00.7 Rina: Bright chrome





 $\rightarrow$  115.770.DW.5 Buttons: Matt chrome,

Material: Plastic

→ 115.770.DT.5

Fasy-to-clean coated



## GEBERIT SIGMA ACTUATOR PLATES



→ 115.907.KM.1 (mains) → 115.908.KM.1 (battery)

Ring: Bright chrome Material: Plastic



→ 115.907.SN.1 (mains) → 115.908.SN.1 (battery) Plate: Stainless steel brushed **Rina: Polished** Material: Stainless steel



With manual flush → 115.890.SN.5 (mains) → 115.891.SN.5 (battery) Plate: Stainless steel brushed **Ring: Polished** Material: Stainless steel



Ring: Bright chrome Material: Plastic

\* Installation set required for mains operation plates -→ Art no: 115.861.00.1

Extension cable -→ Art no: 241.831.00.1



Plate: Jet black RAL 9005 Buttons: Jet black RAL 9005



Material: Plastic



→ 115.770.LA.5 Plate: White Buttons: Yellow / Green Material: Plastic



→ 115.770.LB.5 Plate: White Buttons: Blue / Red Material: Plastic

## GEBERIT DUOFRESH MODULE FOR SIGMA ACTUATORS

#### **DuoFresh Module**

For Geberit Actuator Plates Sigma50, Sigma30, Sigma21, Sigma 20, Sigma10 and Sigma01 only.

→ 115.050.21.1 Bright chrome plated For Geberit Sigma concealed cisterns 12cm only

→ 115.050.BZ.1 NEW Anthracite grey For Geberit Sigma concealed cisterns 12cm only

\* Installation set required -→ Art no: 244.999.00.1


or mounting box for WC ceramic -→ Art no: 224.120.00.1

Power supply unit: → Art no: 243.971.00.1

Consumable drawer with filter: → Art no: 243.970.00.1

Consumable DuoFresh stick: → Art no: 244.900.00.1







#### **GEBERIT DUOFRESH PURE AIR**

The Geberit DuoFresh module removes bad air directly from the WC ceramic appliance, purifies it using a ceramic honeycomb filter and then returns it to the room. Thanks to a proximity sensor, the odour extraction always switches on automatically as soon as someone sits down on the toilet. The odour extraction is therefore also a great idea for guest WCs.

Benefit from additional comfort thanks to an LED orientation light. The Geberit DuoFresh module can be easily installed in any Geberit Sigma cistern and can be combined with almost any actuator plate from the Sigma range.



#### FRESH AIR FOR YOUR WELL-BEING

- Unpleasant odours are extracted right at their source • Discreet look thanks to the integration of the odour extraction unit into the concealed cistern
- Can be combined with most of the Sigma actuator plates
- Orientation light for the night
- Maximum ease of use



### GEBERIT KAPPA CONCEALED CISTERNS


## GEBERIT KAPPA ACTUATOR PLATES

#### Kappa Duofix

Thickness: 150mm Height: 820mm

<b>→ 224.158.00.1</b>	6/3L (HK Project)
<b>→ 224.178.00.1</b>	4/3L (SG)
<b>→ 224.175.00.1</b>	4.5/3L





#### Kappa50

#### Flush technology: dual flush





→ 115.258.00.1 Plate: Stainless steel brushed Buttons: Stainless steel brushed Material: Stainless steel

→ 115.260.11.1 Plate: White alpine Buttons: White alpine Material: Die-cast zinc

**→ 115.260.21.1** Plate: Bright chrome Buttons: Bright chrome Material: Die-cast zinc

Kappa21

Flush technology: dual flush



→115.240.KH.1 Plate: Bright chrome Buttons: Bright chrome Ring: Matt chrome Material: Plastic



Ring: Bright chrome Material: Plastic



→115.240.KN.1 Plate: Matt chrome Buttons: Matt chrome Ring: Bright chrome Material: Plastic

Kappa20

Flush technology:

dual flush

**←** 21<sup>3</sup> → OO



**→ 115.228.21.1** 

→ 115.228.46.1

Plate: Matt chrome Buttons: Matt chrome

#### **Kappa Concealed Cistern**

→ 224.360.00.1 6/3L (HK Project) → 224.364.00.1 4.5/3L (SG)

Thickness: 150mm Height: 820mm


GESERI


Thickness: 150mm Height: 880 - 1,080mm

20

→ 224.361.00.1 4.5/3L (MY / ID / SG)

# GEBERIT









→ 115.228.11.1 Plate: White alpine Buttons: White alpine Material: Plastic

Plate: Bright chrome Buttons: Bright chrome Material: Plastic

Material: Plastic







→ 115.260.46.1 Plate: Matt chrome Buttons: Matt chrome Material: Die-cast zinc



Buttons: White Ring: Gold-plated Material: Plastic

Plate: White



→115.240.KL.1 Plate: White Buttons: Matt chrome Ring: Matt chrome Material: Plastic




→ 115.240.KM.1 Plate: Black Buttons: Black Ring: Bright chrome Material: Plastic



## GEBERIT REMOTE FLUSH ACTUATOR PLATES

#### Pneumatic Type 70



→115.630.SI.1

→ 115.630.FW.1 Plate: Stainless steel Plate: White glass Material: Stainless steel brushed Material: Glass



→ 115.630.JK.1 Plate: Lava glass Material: Glass

DESIGN PLUS

powered by: SH



Y


reddot award 2015

Material: Glass

iF

#### **Pneumatic Actuator**







→ 115.932.KT.1

 $\rightarrow$  115.932.KA.1 Plate: Bright chrome Plate: Glossy white Buttons: Matt chrome Material: Plastic Material: Plastic




→115.932.KV.1 Plate: Glossy black Buttons: Brushed chrome Buttons: Brushed chrome Material: Plastic



 $\rightarrow$  115.932.GH.1 Plate: Brushed chrome Buttons: Brushed chrome Material: Die cast zinc

#### Pneumatic Type 10

Flush technology: dual flush





→ 116.055.KH.1 Collar & Buttons: Bright chrome Ring: Matt chrome Material: Plastic

→116.055.KM.1

Material: Plastic

Collar & Buttons: Black

Ring: Bright chrome



→116.055.KN.1

Material: Plastic

chrome

Collar & Buttons: Matt

Ring: Bright chrome

→ 116.055.KK.1 →116.055.KJ.1 Collar & Buttons: White Collar & Buttons: White Ring: Bright chrome Ring: Gold Material: Plastic Material: Plastic







**→116.042.11.1 →116.042.21.1** Collar: White alpine Buttons: White alpine Material: Plastic Material: Plastic

**→116.042.46.1** Collar: Bright chrome Collar: Matt chrome Buttons: Bright chrome Buttons: Matt chrome Material: Plastic











# GEBERIT AQUACLEAN SHOWER TOILETS FEEL FRESH WITH WATER



- Perfect model for every bathroom
- Big variety of comfort functions like seat heating, comfort light, etc.
- Whirlspray technology
- Fresh out-of-the-shower feeling





#### ↑

#### GET CLEANED WITH WATER

Water is irreplaceable for hygiene and our well-being. It is all the more astonishing that we are satisfied with only toilet paper when going to the toilet.

The Geberit AquaClean is the toilet that cleans you with water. A new kind of personal hygiene that is gentle and natural. It gives you a sense of freshness and cleanliness that you will soon not want to live without. There is a perfect model for every bathroom.

#### GEBERIT AQUACLEAN SHOWER TOILETS

0

....

## **GEBERIT AQUACLEAN SHOWER TOILETS**

#### Geberit AquaClean Mera

→ 146.214.11.1 Comfort, White alpine

→ **146.204.11.1** Classic, White alpine

→ **146.214.21.1** Comfort, Bright-chrome plated

→ **146.204.21.1** Classic, Bright-chrome plated


Geberit AquaClean Wall Mounted Control Panel

#### Geberit AquaClean Sela

 $\rightarrow$  **146.224.11.1** White alpine

→ 146.224.21.1 Bright-chrome plated

1.0.0 .....





с <u>&gt;</u>		-	
2 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	1	1	
14 02		×.	
		0	

#### **GEBERIT AQUACLEAN SELA FEATURES:**



#### TURBOFLUSH TECHNOLOGY The innovative TurboFlush technology is based on a flow-optimized rimless ceramic pan. This way, the shower toilet can be flushed at any time without any disturbing sounds - even at night.



# The shower spray is refined through dynamic aeration that allows for water consumption.




DRYER for optimum drying at the last position of the spray arm.



 $\mathbf{\Lambda}$ HEATING THE WC SEAT The ergonomically optimised WC seat made of high-quality thermoset is equipped with an integrated heating the WC seat waits until someone approaches before heating up.

element. Thanks to the proximity sensor,





The discreet orientation light is just bright enough to show the way at night and makes it easier to fall asleep afterwards. With a brightness sensor control it is activated in the dark. Available in seven different colours.



→ 147.038.SI.1 White glass








ODOUR EXTRACTION UNIT Unpleasant odours are absorbed at once in the interior of the WC ceramic appliance by the automatically starting, low-noise odour extraction unit and then eliminated through a ceramic honeycomb filter.

 $\uparrow$ 

The dryer arm aligns itself automatically




reddot design award winner 2015

DESIGN PLUS powered by: SH

**H** 

DESIGN AWARE 2016





patented WhirlSpray shower technology. pleasant and thorough cleaning with low



REMOTE CONTROL AND APP All functions of the AquaClean Sela can be easily controlled from the remote control and Geberit AquaClean App.


## GEBERIT AQUACLEAN SHOWER TOILETS

#### Geberit AquaClean Tuma

Aq	uaClean	Tuma,	Wall-hun
,	aaoioaii	ranna,	The second second

- AquaClean Tuma, Wall-hung → 146.294.11.1 Comfort, White alpine → 146.294.SI.1 Comfort, White glass → 146.294.SJ.1 Comfort, Black glass
  → 146.294.FW.1 Comfort, Stainless steel brushed
- → 146.094.11.1 Classic, White alpine





#### AquaClean Tuma, Floor-standing → 146.310.11.1 Comfort, White alpine → **146.310.SI.1** Comfort, White glass → 146.310.SJ.1 Comfort, Black glass → 146.310.FW.1 Comfort, Stainless steel brushed → **146.320.11.1** Classic, White alpine



Geberit AquaClean Wall Mounted Control Panel  $\rightarrow$  **147.038.SI.1** White glass → 147.038.SJ.1 Black glass




#### **GEBERIT AQUACLEAN TUMA FEATURES:**





WHIRLSPRAY SHOWER TECHNOLOGY The AquaClean Tuma ensures a cleaning that is particularly convenient while at the same time saving water, thanks to the patented WhirlSpray shower technology.



RIMFREE WC CERAMIC APPLIANCE With the Rimfree WC ceramic appliance, the Aquaclean Tuma offers modern standards for hygiene and easy care.











 $\uparrow$ 

## GEBERIT AQUACLEAN MODEL OVERVIEW







bright chrome-plated

bright chrome-plated

floor-standing

	AQUACLEAN MERA		AQUACLEAN SELA
	COMFORT	CLASSIC	
WhirlSpray shower technology	×	×	*
Rimless WC ceramic appliance with TurboFlush	£00u	£OD1	t ())
Rimless WC ceramic appliance			
Remote control			
Remote control app	Арр	Арр	Арр
Programmable user profiles	4 profiles	4 profiles	4 profiles
Orientation light	$\sum_{i=1}^{n}$		Ŷ
Number of adjustable shower pressure settings	5 levels	5 levels	5 levels
Individually adjustable spray arm position	$\underset{\scriptstyle \leftarrow}{\swarrow}$	¢∭r→	
Adjustable water spray temperature	+	+	+
Oscillating spray	₩	¥	¥
Lady shower	Å	Å	Å
WC seat heating	555		
Warm air dryer	$\mathbb{P}$	P	
Odour extraction unit	E.	- Be	
Touchless automatic mechanism for the WC lid	~/~* <sup>3)</sup>		
SoftClosing	A start	A.	<u>A</u>
QuickRelease function	<u></u>	<u>l</u> ↑	<u></u> ∫↑
User recognition	•)))	•)))	•)))
Descaling function		<u> </u>	Ŀ
Economy mode		(E) =	) T

AQUACLEAN TUMA			
COMFORT	CLASSIC		
×	₹ <u>₩</u>		
*7	*7		
Арр	Арр		
4 profiles	1 profile (via app only)		
5 levels	5 levels		
$\underset{a=}{\swarrow}$	k∰→ (via app only)		
-∬+ (via app only)	-∬+ (via app only)		
¥	₩		
Ŷ			
555			
<u>Mun</u> P &			
E.			
Å.	A start		
<u></u> ]↑ (lid only)	<u>l</u> ↑ (lid only)		
•)))			
<u></u>	L.		

#### MODEL COLOURS:

#### AQUACLEAN MERA COMFORT AND CLASSIC AND AQUACLEAN SELA



white alpine

bright chrome-plated

#### AQUACLEAN TUMA COMFORT



white glass

black glass

stainless steel brushed

## THE FOLLOWING APPLIES FOR ALL MODELS:

Nominal voltage/frequency: 230 V / 50-60 Hz., pre-set water temperature of 37 °C,



# GEBERIT MONOLITH **FUNCTIONAL** BEAUTY

The Geberit Monolith changes your bathroom into a well-designed area. Besides the beautiful design, the Geberit Monolith includes all benefits you expect from a Geberit product:

- Dual flush saves water
- Installation is simple to handle.
- Available in various trendsetting colours and designs



#### QUICK SOLUTION FOR RENOVATIONS

The installation of the Geberit Monolith Puro is a simple, quick and clean solution for renovations. The walls do not need to be hacked and existing water and drainage connections can be used, so work is kept to a minimum.

The sleek Geberit Monolith Puro design provides an instant facelift and adds a touch of elegance to your ideal bathroom.



## GEBERIT MONOLITH

#### **Geberit Monolith**



## R½ 90<sup>8</sup> ▼≋ 13±4 13±4 47±4 ▼ -101± Ø 25±′ ▼ **→**18/23 0 4<u>3 ±</u> ----

**Geberit Monolith Puro** 

White

→ **131.174.SF.1** 6L/3L (SEA)

→ 131.172.SF.1

4.5L/3L (SG)

→ **131.174.SG.1** 6L/3L (SEA)



→ 131.172.SG.1 4.5L/3L (SG)

Deep sea

→ 131.174.SY.1

6L/3L (SEA)

Black



→ **131.174.SX.1** 6L/3L (SEA)

→ 131.172.SX.1 4.5L/3L (SG)



→ 131.174.SU.1

6L/3L (SEA)




→131.174.SV.1 6L/3L (SEA)




 $\rightarrow$  131.174.SO.1 6L/3L (SEA)













# GEBERIT SHOWER SOLUTIONS DISCREET AND SMART



#### ↑ FLOOR EVEN SHOWER SOLUTIONS - SHOWER IN STYLE

The Geberit CleanLine shower channel is an alternative for floor even showers. It has a two-piece design: The trap is mounted below the surface and a sealing foil is firmly connected to the drain to ensure maximum tightness. On top there is a collector surface in stainless steel, which can be cut to length. It can be placed either close to the wall or in the middle of the shower area.

#### **CROSSING THE CHANNEL**

- Two positions for the installation: in the room centre or at the wall
- Unique design with collector surface comb insert and trap
- Simple cleaning and modern linear appearance



#### ↑

## GEBERIT WALL DRAIN FOR SHOWERS - INNOVATIVE WALL-DRAINAGE

Floor even solutions for showers are getting more and more popular. An alternative to traditional wet room drainage is the Geberit wall drain for showers which integrates the drainage into the wall. The drain is not interrupting the floor and this opens up the room.

The hair trap can be easily accessed and the removable front cover makes cleaning quick and easy.

#### DISAPPEARING IN THE WALL

- Never standing on the drain again
- More freedom in your bathroom design
- Classy and highly functional design
- Easy cleaning

### **GEBERIT CLEANLINE SHOWER CHANNEL**

### **GEBERIT CLEANLINE SHOWER CHANNEL**

#### CleanLine80

Champagne, coated Material: Stainless steel

**→154.440.39.1** Length: 30 - 90cm

**→ 154.441.39.1** Length: 30 - 130cm



Stainless steel, brushed Material: Stainless steel


→ 154.440.KS.1 Length: 30 - 90cm

→ 154.441.KS.1 Length: 30 - 130cm

Black chrome, polished Material: Stainless steel

→ 154.440.QC.1 Length: 30 - 90cm

→ 154.441.QC.1 Length: 30 - 130cm




#### CleanLine60

Polished, brushed metal Material: Stainless steel

→ 154.456.KS.1 Length: 30 - 90cm

→ 154.457.KS.1 Length: 30 - 130cm








Brushed metal Material: Stainless steel

**→ 154.458.00.1** Length: 30 - 90cm

**→154.459.00.1** Length: 30 - 130cm





#### CleanLine20

Polished, brushed metal Material: Stainless steel

→154.450.KS.1 Length: 30 - 90cm

→ 154.451.KS.1

Length: 30 - 130cm

#### **CleanLine Tile-bearing**

Customised surface Material: Stainless steel brushed

→154.455.00.1



#### **CleanLine Installation Set**

#### With waste trap

for screed height at inlet 90-220mm → 154.150.00.1 Outlet diameter: 50mm **→ 154.151.00.1** Outlet diameter: 56mm


for screed height at inlet 65–90mm **→ 154.152.00.1** Outlet diameter: 40mm



#### Without waste trap

for cross-floor installation → 154.153.00.1 Outlet diameter: 50mm











## GEBERIT FLOOR DRAINS


### GEBERIT FLOOR DRAIN AQUOREA

#### Floor Drain Grating

#### Lockable

**→ 154.310.00.1** Stainless steel brushed Material: Stainless steel






#### Circle

**→ 154.311.00.1** Stainless steel brushed Material: Stainless steel








**→ 154.312.00.1** Stainless steel brushed Material: Stainless steel







**→ 388.011.00.1** 

Material: PE-HD

**Floor Drain Aquorea** 

**Slotted Grating, Rear Inlet** 

**→ 388.012.00.1** Material: PE-HD



#### **Hole Grating**

 $\rightarrow$  388.013.00.1 Material: PE-HD




#### **Floor Drain**


**→154.050.00.1** Floor construction height from 90mm


**→154.052.00.1** Floor construction height from 65mm


**→154.053.00.1** Cross-floor installation




















reddot award 2018

#### $\rightarrow$ ODOUR-FREE WITHOUT WATER REFILL

Up to 5 months of odour-free protection thanks to the special design and patented silicone membrane. The Geberit floor drain Aquorea also offers easy maintenance, installation and a big flow rate.

## GEBERIT FLOOR COLLECTOR DRAIN


### GEBERIT WALL DRAIN

**Duofix Wall Drain, Half Frame** 

#### **Floor Collector Drain**


**→ 388.001.00.1** Outlet: 75mm, H198mm Material: PE-HD






→ 388.007.00.1 Outlet: 75mm, H150mm Material: PE-HD







**→111.591.00.1** Discharge outlet: 50mm




→ 111.593.00.1 Discharge outlet: 40mm




→ 388.008.00.1 Outlet: 75mm, H150mm Material: PE-HD For cross-floor installation





- 10 -

—□ 9<sup>3</sup>-




- 10 -

-□ 9<sup>3</sup>

#### **Grating for Floor Collector Drain**

→ 388.009.00.1 Outlet: 75mm, H150mm Material: PE-HD For cross-floor installation






Adapter to PVC

→ 154.297.00.1 Size: D40 Material: PE

→ 154.298.00.1 Size: D50 Material: PE







#### **Kombifix Wall Drain**

**→ 457.534.00.1** Discharge outlet: 50mm

Wall fastening set required → Art no: 111.815.00.1




**→ 457.536.00.1** Discharge outlet: 40mm


Wall fastening set required → Art no: 111.815.00.1



#### Wall Drain Cover




**→ 154.335.11.1** White Material: Plastic











DESIGN PLUS powered by: SH

















**→154.339.00.1** Customisable surface



# GEBERIT PUBLIC SOLUTIONS INTELLIGENT DESIGN FLEXIBLE COMPONENTS



# GEBERIT URINAL SYSTEM

The Geberit urinal system includes the ceramic, the integrated flush system and the urinal element. Only 0.5 litres of water are enough to ensure an optimal flushing out as the spray-head has been precisely designed to fit the ceramic pan. There are three options of operation: mains or battery operation or as a self-sustaining unit using an integrated generator.

The maintenance is very simple, as the ceramic unit does not need to be removed from the wall.

#### COMPLETELY CLEAR WHY:

- All from one source
- Easy maintenance
- Water saving
- For mains, battery or self-sustaining operation
- Waterless operation possible
- Quick solution

#### ↑

#### GEBERIT TAP SYSTEM TOUCHLESS TECHNOLOGY

The Geberit tap system provides functional reliability, particularly in highly frequented areas. The tap housing is


anchored firmly in the Geberit installation element and delicate components are separate from the tap, virtually eliminating the risk of damage due to moisture or vandalism.

#### TAP DANCE:


- Easy maintenance
- Water saving
- Very hygienic
- Vandal-proof
- For mains or battery operation


## **GEBERIT URINAL**

## GEBERIT URINAL DIVISION PANEL




0

















7<sup>5</sup> 35 7<sup>5</sup>



## GEBERIT URINAL FLUSH CONTROL

#### Type 50

Flush technology sensor

→ 116.026.GH.1

→116.026.QF.1

Material: Die-cast zinc

Plate: Brass



→ 116.026.QB.1 Plate: Brushed chrome Plate: Red gold

→ 116.026.QD.1 Plate: Black chrome Material: Die-cast zinc Material: Die-cast zinc Material: Die-cast zinc







Flush technology:

manual

 $\rightarrow$  116 016 GH 5 Plate: Brushed chrome Material: Die-cast zinc

→ 116.016.SQ.5

Plate: Umber glass

Material: Die-cast zinc



100



→116.016.JK.5 Plate: Lava glass Material: Die-cast zinc

→ 116.016.JL.5 Plate: Sand grey glass Material: Die-cast zinc

Type 30

Flush technology sensor



→ 116.027.KH.1



Plate: Black Material: Die-cast zinc Material: Die-cast zinc Material: Die-cast zinc



48

→ 116.027.KN.1 Plate: Matt chrome Material: Die-cast zinc Material: Die-cast zinc

→ 116.027.KX.1 Plate: Brushed chrome

→ 116.027.KM.1





→ 116.017.KH.1 →116.017.KJ.1 Plate: Bright chrome Plate: White alpine Stripes: Matt chrome Material: Plastic Material: Plastic



→116.017.KL.1 → 116.017.KM.1 Plate: White alpine Plate: Black Stripes: Matt chrome Stripes: Bright chrome Material: Plastic Material: Plastic



→ 116.017.KK.1 Plate: White alpine Stripes: Gold



→ 116.017.KN.1 Stripes: Bright chrome Material: Plastic





Plate: Matt chrome

#### Type 10

Flush technology: sensor





 $\rightarrow$  116.025.KH.1 Plate: Brushed chrome Plate: White Ring: Matt chrome Material: Die-cast zinc Material: Die-cast zinc

→ 116.025.KJ.1 →116.025.KK.1 Plate: White Rina: Briaht chrome Rina: Gold Material: Die-cast zinc







→116.025.KL.1 Plate: White Ring: Matt chrome Material: Die-cast zinc Material: Die-cast zinc Material: Die-cast zinc

→ 116.025.KM.1 →116.025.KN.1

Plate: Black Ring: Bright chrome

Plate: Matt chrome Ring: Bright chrome



→116.025.SN.1 Plate: Brushed Ring: Polished Material: Stainless steel



sensor

Ο Flush technology:





→ 116.021.11.5  $\rightarrow$  116.021.21.5 Plate: White alpine Plate: Bright chrome

 $\rightarrow$  116.021.46.5 Plate: Matt chrome Material: Die-cast zinc Material: Die-cast zinc Material: Die-cast zinc

#### **Urinal Flush Control with Manual Override**

Flush technology: sensor, manual



→ 117.009.00.1 Plate: Black Material: Tempered glass











Flush technology: manual

→ 116.016.SE.5











1

→ 116.016.DW.5





→ 116.016.11.5

Plate: White alpine

Material: Die-cast zinc





Flush technology: manual



→ 116.015.KH.1 Plate: Bright chrome Ring: Matt chrome Material: Plastic



→116.015.KL.1 Plate: White Ring: Matt chrome Material: Plastic



→116.015.SN.1 Plate: Brushed **Ring: Polished** Material: Stainless steel





→ 116.015.KJ.1 Plate: White Rina: Bright chrome Material: Plastic



→116.015.KM.1 Plate: Black Ring: Bright chrome Material: Plastic



→116.015.KK.1 Plate: White Rina: Gold Material: Plastic



→ 116.015.KN.1 Plate: Matt chrome Ring: Bright chrome Material: Plastic

Flush technology: manual



→116.011.11.5 Plate: White alpine Material: Plastic





→ 116.011.21.5 Plate: Bright chrome Material: Plastic



→ 116.011.46.5 Plate: Matt chrome Material: Plastic

#### GEBERIT SENSOR TAP

## ACCESSORIES FOR SENSOR TAP & MIXER

#### **Deck-mounted Sensor Tap**

Brenta





With exposed function box Mains operation

→ 116.171.21.1 Without mixer Surface: Bright chrome


→116.172.21.1 With mixer Surface: Bright chrome Mains operation **→116.191.21.1** Without mixer

With concealed function box

→116.192.21.1 With mixer Surface: Bright chrome

Surface: Bright chrome

Piave



**→116.161.21.1** 

Surface: Bright chrome →116.162.21.1 With mixer Surface: Bright chrome

Without mixer



With concealed function box Mains operation

- **→116.181.21.1** Without mixer Surface: Bright chrome
- →116.182.21.1 With mixer Surface: Bright chrome



**Duofix Element for Washbasin** 

#### For Deck-mounted tap

→ 111.553.00.1 Height: 112cm Deck-mounted tap With concealed function box





#### For Wall-mounted tap

→ 111.563.00.1

Height: 112cm

concealed trap

Deck-mounted tap

With concealed function box and

→ 111.560.00.1 Height: 130cm Wall-mounted tap With concealed function box



# concealed trap

With concealed function box and

#### **Cover Plate**

**→ 111.562.00.1** Height: 130cm Wall-mounted tap

**→116.425.11.1** White alpine For concealed function box

**→116.426.11.1** White alpine For concealed function box and concealed trap

#### Wall-mounted Sensor Tap

Brenta



With concealed function box Mains operation

→116.271.21.1 Without mixer Surface: Bright chrome Length: 17cm

→116.272.21.1 Without mixer Surface: Bright chrome Length: 17cm



With concealed function box Mains operation

→116.291.21.1 Without mixer Surface: Bright chrome Length: 22cm

**→116.292.21.1** With mixer Surface: Bright chrome Length: 22cm



With concealed function box Mains operation

→116.261.21.1 Without mixer Surface: Bright chrome Length: 17cm

**→116.262.21.1** Without mixer Surface: Bright chrome Length: 17cm





With concealed function box Mains operation

→116.281.21.1 Without mixer Surface: Bright chrome Length: 22cm


**→116.282.21.1** With mixer Surface: Bright chrome Length: 22cm


Piave






















GEBERIT BATHROOM COLLECTION JUST LIKE **PORCELAIN SKIN** 







#### BATHROOM CERAMICS PLANE AND GLAZED

Geberit offers a huge variety of ceramic products like toilet bowls and washbasins. Most of the products can be provided with KeraTect, a special fired to form glaze that makes the surface practically non-porous which reduces the buildingup of dirt and bacteria. That makes cleaning a lot easier. Rimfree toilets add also much to a hygienic bathroom, as there are no hidden hollow spots. Dirt is easy to see and can be removed in a flash.

#### **CUTTING A FINE FIGURE:**

- A vast variety of products available
- Long-lasting quality
- Special fired to form glaze available (KeraTect glaze)
- Hygienic surfaces



- Less cleaning agent necessary
- More hygienic as there are no hiding places for germs



























# GEBERIT INSTALLATION SYSTEMS A DIRECT PATH TO THE SANITARY WALL

Insert, align, press shut: Geberit GIS profiles can be permanently joined with the special profile connectors extremely quickly, thus creating a complete support system quickly and without tools out of just two components.

With a dovetail groove, the Geberit GIS profiles are optimally prepared for the installation of the elements. Geberit GIS

profile connectors or Geberit GIS ratchet pins are used to securely fasten them to the prepared support system.

The Geberit GIS mounting brackets ensure that the sanitary wall is securely anchored to the building structure. Sound insulation bases made of cork ensure that the support system is effectively sound decoupled from the building.



Up to four Geberit GIS profiles can be cut to length at the same time with the chop saw.




↑ The Geberit GIS mounting brackets with sound insulation bases made of cork ensure that the support system is securely anchored and reliably sound decoupled.



Assembly of the Geberit GIS profiles: everything is fixed with a single click.



The Geberit GIS installation elements can be fixed quickly and reliably.



The Geberit GIS installation system makes creative bathroom designs quick, easy and economical. Free-standing sanitary walls, half-height room dividers, niches and storage areas create a unique feeling of space. Tested and standards-compliant noise and fire protection are already integrated.

#### FOR UNIVERSAL USE

Geberit GIS offers very flexible applications in new construction and renovations. This means it is suitable for all construction situations, from the small shower bath to the large wellness bath, and also in the object area.

#### **TOOL-FREE INSTALLATION**

With tool-free installation, Geberit GIS sets the benchmark for structurally uncompromising but nonetheless rational bathroom solutions.



Half-height and ceiling-height installation walls and room dividers can be created in no time at all and with just a few parts when the Geberit GIS installation system is used.





1 With Geberit GIS, you can realise even the most individual of room designs. 2 With Geberit GIS, bathroom facilities can be positioned just as you desire.



- More living and floor space
- Simple planning and installation
- Smaller, consistent pipe diameter
- No additional ventilation pipes
- Horizontal pipelines without slope\*



\* Up to 6 metres

# GEBERIT WASTE WATER DRAINAGE SYSTEMS **DRAINING AT THE** HIGHEST STAGE



#### **GEBERIT HDPE** THE MULTI-PURPOSE SOLUTION

The Geberit HDPE drainage system delivers optimal performance. The system pipes are easily welded and guarantee not only high chemical, thermal and mechanical strength but are also absolutely watertight and possess an extraordinarily high longitudinal strength. Geberit HDPE pipes can even be installed in concrete. Geberit HDPE is ideal for prefabrication. With the majority of work carried out in the workshop, the installation requires just a few simple connections on-site. The light weight of HDPE pipes allows the transport of full assemblies from the workshop to where they are required.

#### REASONS FOR GEBERIT HDPE:

- Resistant to impact and highly flexible
- Completely leak-proof
- Resistant to chemicals and high temperatures
- Wide range of diameters
- Cast in concrete possible
- Easy to prefabricate away from site

The Geberit SuperTube technology is based on the perfect interplay between four system components. Three clever fittings coupled with the tried-and-tested Geberit HDPE discharge pipe with its high load-bearing capacity combine to create an innovative hydraulic solution that also brings clear additional benefits. These components are permanently welded to ensure a tight connection in the long

term.

#### **GEBERIT SUPERTUBE PROS:**

- Up to 40% more living and floor
- space
- Compatible with Geberit HDPE & Silent-db20
  - Simple planning and installation
- Smaller, consistent pipe diameter
- No additional ventilation pipes •
- Economic alternative to conventional
- discharge stacks



#### GEBERIT SUPERTUBE THE SPACE-GAINING SYSTEM

Best solution for high-rise buildings

- Horizontal piplines without slope\*

#### **GEBERIT SILENT-DB20** MUTED SOUNDS

Geberit Silent-db20 has very good soundproofing properties because of its significantly increased mass. The product is made of mineral reinforced HDPE. The material is UV-resistant due to 2% soot, recyclable, can be welded with Geberit HDPE and its chemical characteristics are like HDPE. The ribs have a vibration dampening effect and reduce the vibration of the pipe and therefore the emission of airborne sound.

#### THE SOUND OF SILENCE:

- The Geberit Silent-db20 has the same qualities like Geberit HDPE
- Outstanding sound insulation
- System with numerous dimensions and fittings
- Hydraulically optimised fittings
- Safe and permanent connection

# GEBERIT ROOF DRAINAGE SYSTEM THE EFFECTIVE **RAIN SOLUTION**



NOT AFRAID OF CATS AND DOGS

The Geberit Pluvia roof drainage system includes roof outlets, pipes and fittings made of Geberit HDPE. Unlike conventional roof drainage methods, the Geberit Pluvia system functions as a syphonic system. The pipeline fills completely as rapidly as possible and creating a negative pressure. The water is drawn away by suction and not allowed to drain away constantly. This also ensures an improved self-cleaning function.

The system is cost-effective as smaller pipe diameters can be applied and the Geberit Pluvia system uses significantly fewer stacks and less underground pipes. The Geberit Pluvia roof outlets are linked together directly under the roof with a non-sloping collector pipe. Large roof areas can therefore be drained through a single discharge stack.


This simplifies planning and reduces construction time, and it enables planners and architects to go new ways in planning and development of drainage solutions. There is a wide range of Geberit Pluvia outlets available, allowing the connection with every roof material. They can also be transformed into emergency outlets with an additional

installation kit.


 $\mathbf{T}$ Geberit Pluvia syphonic roof drainage system

#### **10 GOOD REASONS TO GO FOR GEBERIT PLUVIA**

- Wide range of applications
- Space-saving ٠
- Less downpipes
- Cost-saving installation
- Less work on-site
- Functions as a syphonic system
- Large areas can be drained through a single discharge stack
- Small pipe diameter
- Less underground pipes, less manholes
- Outlets for all rooftypes



Conventional roof drainage system





#### • Over 35 years of experience

- · For roofs of factories, warehouses, shopping centres, airports, hotels, sport centres etc.
- High reliability and outstanding durability
- Low system weight
- Discharge of up to 25 litres of rainwater per second

# **GEBERIT SUPPLY SYSTEMS** SIMPLY CONNECTED





Safe and long-lasting connections are the primary goal in all areas of pipe installation. In addition, a quick and easy installation is important to the plumber. The pressing systems Geberit Mapress and Geberit Mepla meet these requirements perfectly. Transitions between different product materials and systems can be realised without any problems thanks to the numerous adapters. For example, in heating installations, Geberit Mapress Carbon Steel can be used for the basement distribution and the riser pipe and the Geberit Mepla multilayer pipe system for the radiator connection - no need for complicated sealing with hemp or the use of a threaded adapter. Just insert,

press, done.



# **GEBERIT MAPRESS**

THE ALLROUND TALENT When it comes to hygiene, temperature, pressure or aggressive liquids, you will always make the right decision by choosing Geberit Mapress Stainless Steel, which has proven its worth well, not only in domestic installations, but also in industrial plants. Geberit Mapress Stainless Steel has obtained VdS approval as well as all relevant international approvals for use in sprinkler systems.

#### THE ALLROUND TALENT:

- of drinking water hygiene and a high load bearing capacity Chemical and thermal disinfection possible
- Can be used for a multitude of media using the corresponding seal rings Pressing indicator identifies
- non-pressed connections even before the pressure test
- Large assortment: 11 dimensions from 12 to 108 mm, roughly 500 fittings
- System compatibility with Geberit Mepla and the other Geberit Mapress product materials

- · Optimally coordinated system with fittings, pipes and pressing tool with pressing jaw or collar
- Safety during processing: non-pressed connections immediately apparent
- Strictly implemented quality requirements ensure permanently tight connections
- Flexibility and economic efficiency through systems that can be combined with one another

- For extreme requirements in terms



#### **GEBERIT MEPLA** THE VERSATILE OPTION

The Geberit Mepla pipe, an aluminium/ PE multilayer pipe, allows for easy, safe and flexible processing, whilst also complying with high hygiene standards. The fittings ensure a high degree of safety during processing as well as reliable tightness. These characteristics make Geberit Mepla especially suited to drinking water supply and radiator connections.

#### FAST AND FLEXIBLE:

- Inherently stable, flexible and corrosion-resistant
- Non-pressed connections are visibly leaky
- High resistance to pressure
- Pipes and fittings hygienically sealed
- Can be chemically and thermally disinfected
- Suitable for any drinking water quality
- Adapters for all Geberit installation elements
- Adapters for quick connections to Geberit Mapress

Geberit South East Asia Pte Ltd

#### Regional Headquarters

Aperia Tower 1 8 Kallang Avenue, #17-09 Singapore 339509

T +65 6250 4011 F +65 6250 4211 sales.sg@geberit.com

www.geberit.com.sg

Hong Kong Office Unit B, 11th Flr, CKK Commercial Centre, 289 Hennessy Road, Wan Chai Hong Kong

T +852 2575 5960 F +852 2575 2667 sales.hk@geberit.com

#### Malaysia Office

Q Sentral, Level 35-02 (East Wing) 2A, Jalan Stesen Sentral 2, KL Sentral Kuala Lumpur 50470 Malaysia

#### T +60 3 2731 9228

F +60 3 2731 9399 sales.sg@geberit.com

#### **Philippines Office**

Unit 721, Regus Ascott, 7/F Glorietta 4, Ayala Center, Makati City 1224 Philippines

T: +63 2 8651 6546 F +63 2 840 6501 sales.sg@geberit.com

#### South Korea Office

#301 JS Building, 213-5 Nonhyun-Dong, Gangnam-Gu, 135-090 Seoul, South Korea

T +82 2 543 4166 F +82 2 543 4123 sales.kr@geberit.com

#### www.geberit.co.kr

**Taiwan Office** 4F-6, No.57, Sec 1, Dunhua S. Road, Songshan Dist., Taipei City 10557, Taiwan

T +886 2 2579 8736 F +886 2 2577 3365 sales.tw@geberit.com

**Thailand Office** 

11/1, AlA Sathorn Tower, 9th Floor, Unit S9015, South Sathorn Road, Yannawa, Sathorn, Bangkok 10120, Thailand

T +66 85 368 5829 sales.sg@geberit.com

#### Vietnam Office

23rd Floor – E. Town Central, 11 Doan Van Bo Ward 12, District 4, Ho Chi Minh City Vietnam

sales.sg@geberit.com

